

# Safety Data Sheet

## Aluminum Chloride, 10% in 70% SDA Solutions

Revision Date 1/1/2020

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Aluminum Chloride 10% in 70% SDA  
**Product code:** 400426

**Supplier:** EDM 3, LLC  
3611 St Johns Bluff Road, Suite 1  
Jacksonville, FL 32224  
800-638-2625  
Monday-Friday: 8:00 -5:00 PM

**Synonym:** None.  
**Material uses:** Laboratory Reagent.  
**Validation date:** 1/1/2020

**In case of a medical emergency or a spill, call:** INFOTRAC at 1-800-535-5053 (Domestic within the USA and Canada)  
or 1-352-323-3500 (International callers may call collect), 24

hours/day,

7 days/week.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

#### GHS Label Elements

Pictogram



Signal Word      Danger!

#### OSHA Hazards

Flammable liquid, Target Organ Effect, Toxic by inhalation, Toxic by ingestion, Toxic by skin absorption, Irritant

#### Hazard statement(s)

**H225:** Highly flammable liquid and vapor (Cat 2).

**H315:** Causes skin irritation (Cat 2)

**H319:** Causes serious eye irritation (Cat 2/2A).

**H332:** Harmful if inhaled.

**H371:** May cause damage to organs (Cat2)

#### Precautionary statement(s):

**P210:** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**P260:** Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

**P305+351+338:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### GHS Classification

Flammable liquids (Category 2)

Acute toxicity, Oral (Category 5)

Eye irritation (Category 2B)

Specific target organ toxicity - single exposure (Category 1)

#### Potential Acute Health Effects:

Flammable Liquid Hazardous in case of contact with eye, skin, ingestion and inhalation. Liquid or spray mist may produce tissue damage especially mucous membranes of eyes, mouth and respiratory tract. Will burn eyes and skin on contact. Respiratory track characterized by coughing, choking and shortness of breath. Inflammation of eyes results in redness, watering and itching. Skin contact results in scaling, redness or blistering.

**Potential Chronic Health Effects:**

Carcinogenic Effects, NA; Mutagenic Effects, NA; Teratogenic Effects, NA; Developmental Toxicity, NA. May be toxic to kidneys, mucous membranes, blood, bones, skin and teeth.

**Precautionary statement(s):**

If in eyes or skin: Rinse with water for several minutes. Remove contact lenses, if present and rinse again.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Target Organs**

Respiratory Tract

**NFPA Rating**

Health hazard: 1

Fire: 3

Reactivity Hazard: 0

**HMIS Classification**

Health hazard: 1

Flammability: 3

Physical hazards: 0

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Name	CAS number	% by volume
Aluminum Chloride Hexahydrate	7784-13-6	~ 10
SDA-3C (ethanol/IPA)	64-17-5/ 67-63-0	~ 90

**4. FIRST AID MEASURES**

<b>Eye contact:</b>	Check for and remove any contact lenses. Immediately flush eyes with water for 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
<b>Skin contact:</b>	Flush skin with water for 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
<b>Inhalation:</b>	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
<b>Ingestion:</b>	Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**5. FIRE-FIGHTING MEASURES**

<b>Flammability of the product:</b>	Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
<b>Extinguishing media:</b>	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
<b>Not suitable:</b>	Do not use water jet.
<b>Special exposure hazards:</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
<b>Hazardous thermal decomposition products:</b>	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, metal oxide/oxides
<b>Special protective equipment for fire-fighters:</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**6. ACCIDENTAL RELEASE MEASURES**

<b>6.1 Personal precautions:</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
<b>6.2 Environ precautions:</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b>6.3 Clean up:</b>	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and

explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

## 7. HANDLING AND STORAGE

**7.1 Safe Handling:** Do not get in eyes, on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use empty containers to retain product, residue can be hazardous. Do not reuse container.

**7.2 Storage:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure limits:

**ACGIH TLV:** TWA, No exposure limits listed

**OSHA PEL:** TWA: No exposure limits listed

**NIOSH REL:** TWA: 2 mg/m<sup>3</sup>

**Engineering measures:** Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne concentrations below any recommended threshold limits.

**Hygiene measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating and using the lavatory. Wash contaminated clothing before reusing.

### Personal protection Respiratory:

If used in poorly ventilated areas, use a properly fitted, air-purifying or air-fed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels.

**Hands:** Chemical-resistant neoprene gloves

**Eyes:** Safety eyewear; splash goggles, face shield

**Skin:** Lab coats for personal protective equipment and should be approved by a specialist before handling this product.

### Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid.	<b>Color:</b>	Clear
<b>Flash Point:</b>	54°C Open Cup	<b>Odor:</b>	NA
<b>pH:</b>	~2.5	<b>Boiling/condensation point:</b>	NA
<b>Melting/freezing point:</b>	NA	<b>Relative density:</b>	NA
<b>Vapor pressure:</b>	NA	<b>Vapor density:</b>	NA
<b>Odor threshold:</b>	NA	<b>Evaporation rate:</b>	NA
<b>VOC:</b>	70%		
<b>Solubility:</b>	Soluble in the following materials: water		

## 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable under normal conditions.

**Possibility of hazardous reactions:** Not available

**Hazardous polymerization:** Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid:** Strong alkaline solutions

**Materials to avoid:** Strong alkaline solutions/oxidizing materials, excessive heat, sparks and open flame

**Hazardous decomposition products:** Not available

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Oral: LD50-Rat 3,311 mg/kg

Inhalation: Not available

Dermal: Not available

### Other information on acute toxicity

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

Eyes: Rabbit, severe eye irritation – 5s

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

### Aspiration hazard

No data available

### Potential health effects

**Inhalation** Liquid or spray mist may produce tissue damage especially mucous membranes of eyes, mouth and respiratory tract. Toxic to lungs.

**Ingestion** May cause burns/tissue destruction.

**Skin** Will irritate skin on contact.

**Eyes** Will burn eyes on contact.

### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity Data (United States) Ethanol

Species	Period	Result
Daphia Magna (EC50)	48 hour/hours	>10000 mg/l
Oncorhynchus mykiss (EC50)	48 hour/hours	13200 mg/l
Lepomis Macrochirus (EC50)	48 hour/hours	16000 mg/l
Daphia Magna (LC50)	96 hour/hours	>100 mg/l
Pimephales Promelas (LC 50)	96 hour/hours	>100 mg/l
<i>Lepomis Macrochirus (LC50)</i>	<i>96 hour/hours</i>	<i>15400 mg/l</i>

### 12.2 Environmental Precautions:

No known significant effects or critical hazardous. The products of degradation are less toxic than the product itself.

## 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. TRANSPORT INFORMATION

### DOT (US)

UN No 1987, Proper Shipping Name, Alcohol (ethanol/aluminum chloride), Hazard Class, 3, Subsidiary Hazard Class 6.1, Packing Group II (Ship as Ltd Qty)

**TDG**

**UN No 1987, Proper Shipping Name, Alcohol (ethanol/aluminum chloride), Hazard Class, 3, Subsidiary Hazard Class 6.1, Packing Group II**

**IATA**

**UN No 1987, Proper Shipping Name, Alcohol (ethanol/aluminum chloride), Hazard Class, 3, Subsidiary Hazard Class 6.1, Packing Group II**

**IMDG/IMP**

**UN No 1987, Proper Shipping Name, Alcohol (ethanol/aluminum chloride), Hazard Class, 3, Subsidiary Hazard Class 6.1, Packing Group II**

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**United States**

**HCS Classification:** Flammable liquid, toxic material, Irritating material, Target organ effects

**U.S. Federal regulations:**

**TSCA 8(a) IUR:** Partial exemption

**United States inventory (TSCA 8b):**

Listed on inventory.

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.

**SARA 302/304 emergency planning and notification:** No products were found.

**SARA 302/304/311/312 hazardous chemicals:** Methanol

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:**

Methanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

**Clean Air Act (CAA) 112 accidental release prevention:** No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

**DEA List I & II Chemicals  
(Precursor Chemicals):**

Not listed

**SARA 313****Form R - Reporting****Requirements:****Supplier notification:****Product name****CAS number****Concentration**

Ethanol

64-17-5

70%

Ethanol

64-17-5

70%

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

**RTK:** Ethanol/Aluminum Chloride Solutions, CAS 64-17-5/CAS 7784-13-6

**Massachusetts Substances:**

The following components are listed: ethanol

**Minnesota Hazardous Substances:** Aluminum salts.**New Jersey Hazardous Substances:**

The following components are listed: ethanol

**NY Toxic Chemical Release Reporting:**

None of the components are listed.

**New York Acutely Hazardous Substances:**

The following components are listed: ethanol

**Pennsylvania RTK Hazardous Substances:**

The following components are listed: ethanol/aluminum salts

**Rhode Island Hazardous Substances:**

None of the components are listed.

**WHMIS (Canada):**

Class B-2: Flammable Liquid

Class D-1A: Material causing immediate and serious toxic effects (Very toxic).

Class D-2B: Material causing other toxic effects (Toxic).

**Canadian lists:**

**CEPA Toxic substances:** None of the components are listed.

**Canadian ARET:** None of the components are listed.

**Canadian NPRI:** The following components are listed: ethanol

**Alberta Designated Substances:** None of the components are listed.

**Ontario Designated Substances:** None of the components are listed.

**Quebec Designated Substances:** None of the components are listed.

**CEPA DSL / CEPA NDSL:**

All components are listed or exempted.

**CERCLA:**

Ethyl Alcohol: RQ 5000 lb

*This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.*

#### **International regulations**

##### **International lists:**

**Australia inventory (AICS):** All components are listed or exempted.

**China inventory (IECSC):** All components are listed or exempted.

**Japan inventory:** Not determined.

**Korea inventory:** Not determined.

**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.

**Philippines inventory (PICCS):** All components are listed or exempted.

## **16. OTHER INFORMATION**

### **National Fire Protection Association (U.S.A.)**



#### **Notice to reader**

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. EDM3 shall not be liable for any damage resulting from handling.